



नगर कार्यपालिकाको कार्यालय

Office of the Municipal Executive

(Google Plus Code: C8RJ+C6 Neulapur)

सैनवार बर्दिया
Sainawar, Bardiya

लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal



दरभाउपत्र (कोटेशन) पेश गर्ने सम्बन्धि सूचना ।

सूचना प्रकाशन मिति: २०८०।०७।२०


यस नगरपालिका अन्तर्गत वडा नं. ३ का लागि इलेक्ट्रोनिक र फर्निचर सामग्रीहरू आवश्यक परेको हुँदा यसैसाथ संलग्न BOQ अनुसार सामग्रीहरू (पछि परिमाण थपघट भएमा सोही दरमा उपलब्ध गराउने गरि)को दरभाउपत्र (कोटेशन) यो सूचना प्रकाशन भएको मितिले १५ (पन्ध्र) दिन मिति २०८०।०८।०५ गतेभित्र देहाय बमोजिमको आवश्यक कागजातहरू सहित खामबन्दी गरि पेश गर्नुहुन जानकारी गराइन्छ ।

संलग्न कागजात

१. व्यवसाय दर्ता प्रमाणपत्रको प्रतिलिपि
२. स्थायी लेखा (प्यान/भ्याट) दर्ता प्रमाणपत्रको प्रतिलिपि
३. कर चुक्ता प्रमाणपत्रको प्रतिलिपि (आ.व. २०७९/०८० वा म्याद थप)
५. नगरपालिकामा सुचिकृत भएको प्रमाण वा निवेदन

(दरभाउपत्र पेश गर्दा इलेक्ट्रोनिक र फर्निचरको एउटै वा अलग अलग फर्म मार्फत दरभाउ पेश गर्न सकिनेछ)

थप जानकारीको लागि: ९८४८१७०४५५


२०८०।०७।२०
रामहरि रिजाल
प्रमुख प्रशासकीय अधिकृत



नगर कार्यपालिकाको कार्यालय

Office of the Municipal Executive

(Google Plus Code: C8RJ+C6 Neulapur)

सैनवार, बर्दिया
Sainawar, Bardiya

लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal



योजनाको नाम: वडा कार्यालय व्यवस्थापन (३ नं. वडा कार्यालय)

स्थान: ठाकुरबाबा न.पा. वडा नं. ३ बर्दिया

BoQ

रामहरि रिजाल
प्रमुख प्रशासकीय अधिकृत

इलेक्ट्रोनिक सामग्री तर्फ

क्र.स.	सामग्रीको नाम	परिमाण	दर	जम्मा	कैफियत
१	Printer	2			
२	DSLR Camera	1			
३	Smart Bord (TV)	1			
४	Air Conditioner (1 Ton)	3			
५	CCTV Camera Set				
a	2MP Entry IR Fixed-Focal Eyeball Network Camera	3			(पछि परिमाण थपघट भएमा सोही दरमा उपलब्ध गराउनु पर्नेछ)
b	2MP Entry IR Fixed-Focal Bullet Network Camera	2			
c	8 Channel Penta-brid 1080N/720p Compact 1U, 1HDD WizSense Digital Video Recorder	1			
d	8-port PoE 2uplink switch(Unmanaged)	1			
e	2 TB HDD	1			
f	UTP CAT6 Cable Cartoon	1			
g	Monitor 24"	1			

हस्ताक्षर:

फर्मको नाम र ठेगाना:

प्रोपराईटर वा प्रतिनिधिको नाम:

सम्पर्क नं.:

आधिकारिक छाप:

"समुन्नत ठाकुरबाबा: सबल नगरवासी"

वेबसाइट: www.thakurbabamun.gov.np ईमेल: thakurbabamun@gmail.com, jinsi.thakurbabamun@gmail.com

d:\office\2080-081 file\jinsi sakha\letter 080-04-01 गते देखि लेटरप्याड.docx



नगर कार्यपालिकाको कार्यालय



Office of the Municipal Executive

(Google Plus Code: C8RJ+C6 Neulapur)

सैनवार बर्दिया
Sainawar Bardiya

लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal

योजनाको नाम: वडा कार्यालय व्यवस्थापन (३ नं. वडा कार्यालय)

स्थान: ठाकुरबाबा न.पा. वडा नं. ३ बर्दिया

BoQ

फर्निचर तथा फर्निसिङ्ग तर्फ

क्र.स.	सामग्रीको नाम	परिमाण	दर	जम्मा	कैफियत
१	कुर्सी	५० थान			
२	कर्नर सोफा	३ सेट			
३	पर्दा	१४ पिस			जडान समेत
४	टेबल	१ थान			
५	रोस्टम	१ थान			
६	जुटको कार्पेट (२५ फुट*३० फुट)	१			मिडिया हुने समेत
	जम्मा (ख)				

हस्ताक्षर:

फर्मको नाम र ठेगाना:

प्रोपराईटर वा प्रतिनिधिको नाम:

सम्पर्क नं.:

आधिकारिक छाप:

"समुन्नत ठाकुरबाबा: सबल नगरवासी"

वेबसाइट: www.thakurbabamun.gov.np ईमेल: thakurbabamun@gmail.com, jinsi.thakurbabamun@gmail.com

d:\office\2080-081 file\jinsi sakha\letter 080-04-01 गते देखि लेटरप्याड.docx

ठाकुरबाबा नगरपालिका
नगर कार्यपालिकाको कार्यालय
सैनवार बर्दिया

योजनाको नाम: वडा कार्यालय व्यवस्थापन (३ नं. वडा कार्यालय)

स्थान: ठाकुरबाबा न.पा. वडा नं. ३ बर्दिया

सामग्रीको स्पेसिफिकेशन
इलेक्ट्रोनिक तर्फ



Printer

Printing Speed	12 pages per minute (A4)
Resolution	Enhanced: True 600 x 600dpi resolution Smoothing Technology: (2 400 x 600dpi equivalent with Automatic Image Refinement Technology)
Printing Language	CAPT (Canon Advanced Printing Technology)
Memory	Uses PC memory (standard 2MB on-board)
Warm-up Time	0s. from Standby Mode (less than 10s. after power up)
First Print Out Time	9.3s
Paper Size	Front Tray: A4, B5, A5, LGL, LTR, Executive, Envelope C5 / COM10 / DL, Monarch
	Manual Tray: Custom paper (Width: 76.2 - 215.9mm; Length: 127.0 - 355.6mm)
Paper Input	Front Tray: 150 sheets Manual Tray: 1 sheet
Paper Output	Face down: 100 sheets
Dimensions (W x D x H)	370 x 251 x 217mm
Weight	5.7kg excluding cartridge
Operating Systems Supported	Windows 98 / ME / 2000 / XP, Linux (CUPS)
Power Requirement	220 – 240V (+/-10%), 50 / 60Hz (+/-2Hz)
Interface	USB 2.0 Hi-Speed

DSLR Camera

Sensor Type:	24.2 MP APS-C sensor with Dual Pixel
Image Processor:	DIGIC 7 Image Processor
ISO Sensitivity:	100-25600
Shutter Speed:	1/4000 seconds
Continuous Shoot:	6 frames in one second
Battery Life: Approx.	600 shots

[Handwritten signature]

[Handwritten signature]
रामहरि रिजाल
प्रमुख प्रशासकीय अधिकृत


Monitor Type:	3.0- inches TFT
Video:	1080p@24/25/30/60fps
Connectivity:	Wi-Fi , Bluetooth, Micro USB 2.0, and Headphone jack, mic, external flash etc.
lens	18-55mm kit
Display	Touch Screen

Smart Bord

Display:	43"/50"/55", 4K (3840 × 2160 pixels), 178° viewing angle, Dolby Vision, HDR 10, HLG
Processor:	Quad Core A55 CPU CPU
Memory:	2GB RAM, 8GB storage
Software:	Android TV 10
Connectivity:	WiFi 802.11 ac (2.4GHz / 5GHz), Bluetooth 5.0, 3 x HDMI 2.1 (1 contain ARC), 2 x USB, 1x Ethernet, 1x AV1, 1x 3.5mm headphone jack, 1x optical
Video codecs:	Supports H.265, AV1, etc.
Speaker & Audio:	Stereo speakers (30W), DTS-HD, Dolby Audio

Air Conduction

Capacity	1 Ton
AC Type	Inverter
Cooling Capacity (BTU)	12000
Heating Capacity (BTU)	12000
Power Input (Cooling/Heating)	1290 W / 1090 W
Moisture Removal (l/h)	1.2
Air Circulation (m3/h)	550
Cooling EER(W/W)	2.73
Refrigerant	R32
Indoor Noise Level (dB)	39 / 33 (High / Low)
Outdoor Noise Level (dB(A)±3)	50
Power Supply	220-240V~,50Hz,1P
Cooling Rated Current (A)	6
Heating Rated Current (A)	5.1
Condensor	Copper tube and Aluminum Fin
Dimensions	790 w × 255h × 200 d (mm) Indoor, 660 w × 482 h × 240 d (mm) Outdoor



[Handwritten signature]

[Handwritten signature]
प्रमुख प्रशासकीय अधिकृत


CCTV Camera Set

SN	Products & Brand	Short Description
1	2MP Entry IR Fixed-Focal Eyeball Network Camera	• 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition • Outputs max. 2MP (1920 × 1080) @25/30 fps • H.265 codec, high compression rate, ultra-low bit rate • Built-in efficient IR illuminator, and the max. illumination distance is 30 m • ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments • Rotation mode, DWDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes • Abnormality detection: Motion detection, video tampering, network disconnection, IP conflict, illegal access • 12V DC/PoE power supply • IP67 protection
2	2MP Entry IR Fixed-Focal Bullet Network Camera	• 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition • Outputs max. 2MP (1920 × 1080) @25/30 fps • H.265 codec, high compression rate, ultra-low bit rate • Built-in efficient IR illuminator, and the max. illumination distance is 30 m • ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments • Rotation mode, DWDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes • Abnormality detection: Motion detection, video tampering, network disconnection, IP conflict, illegal access • 12V DC/PoE power supply • IP67 protection
3	8 Channel Penta-brid 1080N/720p Compact 1U 1HDD WizSense Digital Video Recorder	• H.265+/H.265 dual-stream video compression • Supports Full-channel AI-Coding • Supports HDCVI/AHD/TVI/CVBS/IP video inputs • Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth • Long transmission distance over coax cable • Up to 4 channels video stream (analog channel) SMD Plus • Supports Multiband Network camera
4	8-port PoE 2uplink switch(Unmanaged)	• Intelligent PoE • 8-pin assignment PoE power supply • Long distance PoE • Wide working temperature • PoE watchdog
5	2 TB HDD	• Capacity: 2TB • Speed: 5,900RPM • RV Sensor • Interface Types: SATA • Form Factor: 3.5inx1.0in LFF Hard Drive • Sector Size: 4Kn • Sustained Throughput: 180MB/s • Electrical Interface: SATA 600 - 6.0Gbps • On-Board Cache: 256MB



रामहरि रिजाल
प्रमुख प्रशासकीय अधिकृत

6	UTP CAT6 Cable	• UTP CAT6, power over Ethernet, compatible with one cable • High-purity oxygen-free copper conductor • Customized PVC outer sheath; CE CPR Eca flame retardant class certified
7	Monitor 24"	PANEL SIZE : 23.8" PANEL RESOLUTION : 1920 x 1080 (FHD) REFRESH RATE : 75Hz VIEWING ANGLE : 178°(H) / 178°(V) PIXEL PITCH (H X V) : 0.2745(H) x 0.2745(V) DISPLAY COLORS : 16.7M VIDEO PORTS :1x HDMI (1.4b)1x D-Sub (VGA) VESA MOUNTING : 75 x 75 mm POWER TYPE External Adaptor : (12V 2.5A) POWER INPUT : 100~240V, 50~60Hz Compatibility : PC, Mac, PS5™, PS4™, Xbox, Mobile, Notebook



2/10

[Handwritten signature]

7/1/1
 रामहरि रिजाल
 प्रमुख प्रशासकीय अधिकृत



फर्निचर तर्फ

कुर्चि	फलामको, फम सहित एक हातमा फोल्डिङ डेक्स भएको (बस्ने १.५ फुट र कुल ३ फिट अग्लो कुर्सी)
सोफा	कर्नर सोफा ४ जना बस्न मिल्ने फोल्डिङ भएको
पर्दा	७ फुट लामो ४ फुट चौडा भएको फलामको पाइप हुक सहितको पर्दा
टेबल	अफिस टेबल (एका तर्फ ३ वटा घर्ना र अर्को तर्फ ढोका सहित सामान राख्न मिल्ने ५ फिट लम्बाई २.५ फिट चौडाई र २.५ फिट उचाई भएको काठको टेबुल)
रोष्टम	काठको रोष्टम ४ फिटको (३ नं. वडा कार्यालय ठाकुरबाबा नगरपालिका लेखिएको)
कार्पेट	जुटको कार्पेट (१५ फुट * ३० फुट)

[Handwritten signature]

[Handwritten signature]
रामहरि रिजाल
प्रमुख प्रशासकीय अधिकृत