स्थायी लेखा नं.: २०१२९६१९० कार्यालय कोड नं.: ८०१०५५८०२

ठाकुरबाबा नगरपालिका Thakurbaba Municipality



नगर कार्यपालिकाको कार्यालय

19

Office of the Municipal Executive

(Google Plus Code: C8RJ+C6 Neulapur)



लुम्बिनी प्रदेश, नेपाल Lumbini Province, Nepal

दरभाउपत्र (कोटेशन) पेश गर्ने सम्बन्धी सार्वजनिक सूचना !!


(प्रकाशित मितिः २०८२ | ०२ | ०९ गते, ने. सं ११४५ बछलागाः ११, शुक्रबार)

उपरोक्त सम्बन्धमा यस नगरपालिका अन्तर्गत रहेको विद्यालयमा ICT सम्बन्धी सामाग्रीहरू (सी.सी. टि. भि., कलर प्रिन्टर आदि) आवश्यक परेको हुँदा यसे साथ संलग्न BoQ र Specifications बमोजिमका सामाग्रीहरू (पछि परिमाण थपघट भएमा सोही दरमा उपलब्ध गराउने गरि) को दरभाउपत्र (कोटेशन) यो सूचना प्रकाशित भएको मितिले ७(सात) दिन भित्र देहाय बमोजिमको आवश्यक कागजातहरू सहित खामबन्दी गरि पेश गर्नुहुन सम्बन्धित सबैको जानकारीका लागि यो सूचना प्रकाशित गरिएको छ।

आवश्यक कागजातहरूः

- 9. रितपूर्वक भरेको BoQ
- २. व्यवसाय दर्ता प्रमाणपत्रको प्रतिलिपी
- ३. स्थायी लेखा (प्यान)/ भ्याट नम्बर दर्ता प्रमाण पत्रको प्रतिलिपी
- ४. कर चुक्ता प्रमाण पत्रको प्रतिलिपि (आ. व. २०८०।०८१ वा म्याद थप)
- ४. यस नगरपालिकामा सूचिकृत भएको प्रमाणपत्र वा सूचिकृत हुनका लागि राजश्व तिरेको भौचर सहितको निवेदन
- ६. ठाकुरबाबा नगरपालिकाको राजश्व शाखामा रू. १००० तिरेको रसिदको प्रतिलिपी

(नोटः उपलब्ध गराउने समाग्रीको Brand र Model Name वा नम्बर साथै Product को Description सहितको Data Sheet अनिवार्य पेश गर्नुपर्ने छ।)





1. Specifications of CCTV Set, HardDisk,NVR,Networking Cable,PoE Switch

SN	Products	Description			
	2MP Indoor DOM IP Camera Brand: Model:	 ≥ 2MP, 1/2.8"-2.9" CMOS image sensor, low illuminance, high image definition ≥ Maximum resolution 2MP (1920 × 1080) @25/30 fps ≥ H.265+/ H.264+&H.264 codec, high compression rate, ultra-low bit rate > Camera Type: Full Color > Focal length: ≥ 2.8mm > Wide Dynamic Range (WDR): Digital WDR > Day/Night Switch: Day, Night, Auto, Schedule > ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments > Shutter Speed: 1/2 s to 1/100,000 s > Rotation mode/Angle Adjustment: Pan: 0° to 360°, tilt: 0° to 75°, rotate: 0° to 360° > Image Enhancement: BLC, HLC,3D DNR > 12V DC/PoE power support > Should support Mobile monitoring 			
2	4MP Outdoor	➤ Image sensor: 1/3-2.4" CMOS			
2	Bullet Network Camera	 Camera Type: Outdoor, Full Color Resolution: 4MP (2560 × 1440) @ 25/30 fps Shutter Time: 1/3 s to 1/100,000 s 			
	Brand:	 Day & Night: IR cut filter (Optional) Lens Type: Fixed focal lens: 2.8 and 4 mm optional SN Ratio: ≥52 dB 			
	Model:	 Aperture: F1.6 or equivalent Image Enhancement: BLC, HLC,3D DNR Protection: IP67: IEC 60529-2013 or higher Focal Length: 2.8mm-4mm Bit Rate Control: CBR,VBR Video Compression: Main stream: H.265+/H.265/H.264+/H.264, Sub-stream: H.265/H.264/MJPEG Power Consumption: 12V DC/PoE Power Supply Operating Temperature: -30 °C to 60 °C (-22 °F to 140 °F). Abnormality detection: Motion detection (support alarm triggering by specified target types (human and vehicle etc.), video tampering alarm, ip conflict 			
3	16 Channel Network Video Recorder Brand:	 HDD Capacity: up to 10 TB Interfaces: minimum 2 SATA Video output: 1×HDMI, 1×VGA USB Interfaces: Minimum 2 Network Interfaces: Minimum 1×RJ-45 port (10/100/1000Mbps) Protocols: HTTP, TCP/IP, IPv4/IPv6, UPNP, RTSP, UDP, SMTP, NTP, 			
	Model:	DHCP, DNS, IP Filter ➤ Working Temperature: -10°C to 55°C / Humidity: 10-90% or better ➤ Incoming Bandwidth: ≥ 160 Mbps ➤ Decoding Format: H.265/H.265+/H.264/H.264+ or better ➤ Audio: 1-ch, RCA or BNC			

Note: The Supplier should mention the brand and model name, and also provide datasheet of the product as well.

3. Kod 4.





	T	2 10/100 - Link newto on agriculant				
1	10-Port/2 Uplink Switch	Port: 9 10/100M PoE ports, 2 10/100 uplink ports or equivalent				
	with 8-Port PoE	 Support 802.3af/at standards Transmission range: ≥250 M 				
		 Visualized topology management, Realtime video control and real time 				
		video alarm push, network health monitor				
		➤ Operating Temperature: -10°C to +55°C				
5 8 TB HDD		> Capacity: 8TB				
		\triangleright Speed: $\geq 5,900$ RPM				
	Brand:	Interface Types: SATA				
		Cache: 256MB or equivalent				
	Model:					
<u> </u>	CAT6 Cable	> 305 m (1000 ft)/carton UTP CAT6, Pure Copper power over Ethernet,				
,	Crito caesa	compatible with one cable or equivalent				
		High-purity oxygen-free copper conductor or equivalent				
		Customized PVC outer sheath; Have certain flame retardant properties or				
		equivalent				
		Meet ANSI/TIA 568.2-D, ISO/IEC11801, reducing damage during the				
		project.				
		 Should have better electrical properties and transmission performance 				
7	Delivery, Transportation	➤ To Tribhuvan Secondary School, Thakurbaba-1				
/	and Project Completion	Work should be completed within the 12 working days after getting				
	Period Period	supply/work order.				
	Teriod					
8	Warranty	> At least 2 years warranty should be provided with free repairing services				
9	Notes	CCTV should be compatible with the existing system				
		If needed one can contact and observe the project location.				
		No any extra cost for the project will provided except the mentioned cost				
		in BoQ				



प्रमुख प्रशासन्त्रीय अधिकृत

Note: The Supplier should mention the brand and model name, and also provide datasheet of the product as well.



2.Technical Specification of 75 Inches Smart Board (AVR)

Brand	nd To be specified by the Supplier:				
Model	To be specified by the Supplier:				
	Size	75 Inches			
	Resolution	3840 × 2160 (4K)			
LED Panel	Brightness	At least 350 cd/m ² or higher			
	Response Time	< 8ms			
	Pixel Pitch	0.429(H) mm × 0.429(V) mm			
	Visual angle	178 (H) / 178 (V)			
	Lifespan	At least 40000hrs or higher			
	Refresh rate	60Hz			
	Back Light Type	Direct LED (D-LED) Technology or equivalent			
		LED Interactive Touch Screen			
	Surface Glass	Anti-Glare Glass			
I/O Port	 ➤ CPU: Quad Core A55 or higher ➤ GPU: Built-in GPU Card-G52MP2 or higher MINI-AV, PC Audio, VGA, TV-USB 2.0, 2× HDMI, RJ45, USB Port 				
Front side	HDMI, USB				
Camera/MIC	Built-in minimum 8MP / Built in microphone				
Front side key	Available				
NFC Function	Optional Optional				
Bluetooth/WiFi	Inbuilt Bluetooth and WiFi 2.4/5G or better				
USB Support file format	Picture: JPEG, BMP, PNG				
	Video: MPEG1, MPEG2, MPEG4, H264, RM, RMVB, MOV, MJPEG, VC1, DivX, FLV Audio: WMA, MP3, M4A, (AAC)				
	15 W × 2 or higher Built-in speaker				
Speaker					
	Split Screen/Multitasking support				
Video Features		VD/W' 1 2000/I DHIV IDHV/Windows 9 1 (V96) or			
OS System	Support Windows 7/ Windows higher version of Windows	ws XP/ Windows 2000/ LINUX UNIX/ Windows 8.1 (X86) or			

Note: The Supplier should mention the brand and model name, and also provide datasheet of the product as well.

(30/08/1.



Necessary Accessories	Remote controller, Touch Pen, HDMI Cable, Wall mount bracket, hook, user manual and other necessary items.			
Default System Language	English			
Authorization	Must provide authorization letter from manufacturer			
Warranty	At least 3 years or more including parts and services			
Delivery, Transportation and Project Completion	 To Tribhuvan Secondary School, Thakurbaba-1 Work should be completed within the 12 working days after getting Supply/work order. 			

3. Color Printer:

Parameters	Description
Brand	To be specified by the supplier: -
Model	To be specified by the supplier: -
Printer Type	Ink Tank
Function	Multifunction (Print, Scan, Copy)
Printer Output	Color and B/W
Connectivity	Wireless, WiFi, AirPrint, Direct Wireless, USB
Pages per minute	11 ipm (Black), 6.0 ipm (Color) or higher
Printer resolution	4800×1200 dpi or better
Scan resolution	600×1200 dpi or better
Display	Built-in 1.35" inches LCD (Monochrome) or better
Print Media	Envelopes, Paper (plain), Glossy photo paper
Operating System	Windows-7/8.1/10/11, Chrome OS, Mac OS 10.12.6-10.15
Warranty	At least one year

Note: The Supplier should mention the brand and model name, and also provide datasheet of the product as well.

3ix08/1.

प्रमुख प्रशासकीय अधिकृत

4. All In One(AIO) Computer Set

Parameters		Description		
Brand		To be specified by the supplier: -		
Model	-	To be specified by the supplier: -		
Туре		All In One (AIO) PC Suitable for Account Section Use		
Processor		≥i5, 12 th Generation or higher		
Operating System		Windows 10/11 fully activated genuine version		
Graphics Card		UHD Graphics or equivalent		
Network Card		1000M wired network card (Gigabit Ethernet LAN) or equivalent		
Wireless		150M Wireless WiFi (433M dual band WiFi and WiFi 6 Functions are optioinal)		
C.	RAM	At least 8GB DDR4 or higher		
Storage	ROM	At least 512GB SSD/NVMe or higher		
Speaker		Internal Speaker		
Camera		HD webcam (Optional)		
Interfaces		1×HDMI, 1×VGA(Optional), 1×LAN, 4×USB, 1×Audio Out, RJ45, 1×Mic in or more		
Keyboard		Full Sized keyboard with standard keys		
Mouse		Wired or Wireless Optical Mouse including Mouse Pad		
Monitor	a)	Branded Monitor of ≥21 Inches with FHD resolutions		
Warranty		At least one year's warranty including all parts and monitor		
Application Software		Pre-installed all the necessary application software like: MS Office etc.		
Accessories		Power cable, Power Adapter, VGA/HDMI Cable and other necessary items should be provided by the supplier with no extra cost		

Note: The Supplier should mention the brand and model name, and also provide datasheet of the product as well.

31/08/

प्रमुख प्रशासकीय अधिकृत



Thakurbaba Municipality Office of the Municipal Executive & Sainawar, Bardiya Lumbini province Office of the Municipal Executive Sainawar, Bardiya Lumbini province BoQ of CC Camera Set , 75 Inches AVR Board etc.

S.N.	Particular	Unit	Quantity	Rate	Amount	Remarks Remarks
1	Indoor 2MP IP Dome Camera	Nos	14			
2	Outdoor 4MP Bullet Camera	Nos	2			
3	16 Port NVR with 2 SATA	Nos	1			
4	8 TB Surveillance HDD	Nos	1			
5	8 Port PoE Switch With 2 Uplinks Port	Nos	2			
6	UTP CAT6 Cable With Pure Copper	Box	2	i.	,	
7	75 Inches Digital AVR Board	Nos	4			,
8	All In One PC	Set	1			
9	Color Printer	Nos	1			
10	Installation of CCTV (Listic, Wiring and Power Socket, Cable clipping)	Per Unit	16			
11	Installation of AVR Board (Listic, Wiring and Power Socket, Cable clipping)	Per Unit	4			
Total						
VAT 13%					,	
	Grand Total					
Grand Total in Words:						

Grand Total in Words:	
Firm Name:	
Firm Address:	
Name of Representative:	
Signature:	
Date:	
Contact Number:	

Firm Stamp: