

ठाकुरबाबा नगरपालिका Thakurbaba Municipality नगर कार्यपालिकाको कार्यालय

Office Of The Mulicipal Executive सैनवार बर्दिया

प्रदेश ,नपाल

प.सः०७७।७८

च.नः

Sainawar , Bardiya y Property of Property

मितिः२०७८।०२।२८

बिषयः दररेट पेश गर्ने सम्बन्धमा ।

प्रस्तुत विषयमा यस कार्यालयको लागि विद्यालयमा अध्ययनरत छात्राहरुलाई निशुल्क सेनिटिर प्याड वितरण गर्नका लागि तपशिल बमोजिमको स्पेशिफिकेशनको आधारमा कोटेशन प्रक्रियाको माध्यमवाट सेनिटिर प्याड खरिद गर्नुपर्ने भएकाले इच्छुक फर्म/कम्पनिले आ.व.०७६।७७को कर चुक्ता ,भ्याट प्यान दर्ता ब्यवसाय दर्ता(नविकरण सिहत) यहि मिति २०७८।०३।०३ को दिउसो ठिक २:०० बजेभित्र सिलबन्दी वा यस कार्यालयको मेल:thakurbabamun@gmail.com मा अनुसुचि १ बमोजिमको स्पेशिफिशन सिहत दररेट पेश गर्नुहुन सम्बन्धित सबैमा जानकारि गराइन्छ ।

नामःसेनिटरि प्याड८ पिस अल्ट्राथिन(size:280+-20,Absorbency:90ml)

ृत्यं प्रशासकीय अधिकृत

gole (18212)



ठाकुरबाबा नगरपालिका Thakurbaba Municipality नगर कार्यपालिय Office Of The Municipal Executive सैनवार, बर्दिया Sainawar, Bardiya के प्रस्ति No Province Nepal

₹068-809 🧯 ९८५८०७२१११

DESCRIPTION Sainawar, Bardiya Ray, and No. Province, Nepal			
s.n Sector		7004	
3.11	Jector	SPECIFICATION	PIDDERS OFFERE
		Regular with wing, napkin with uniform thickness throughout	BIDDERS OFFERED
		without any wrinkles and distortion. The sanitary papeling shall	
		I have a soft feel and when worn shall not chafe or give any	
١.	type and physical	uncomfortable feeling. They shall be free from all sorts of foreign	
	finishing	matter strain be free from all sorts of foreign	
		a. Absorbent filter: plant-based raw materials such as wood pulp,	
		cellulose pulp, bamboo fiber, banana fiber and corn which have	
		natural sterilization effects, tissue paper, zeal Ultra Thin, shall be	
		free from lumps, oil spots, dirt or foreign material.	
		b. Covering: The covering of the absorbent filter shall be of a good	
		quality cotton or rayon knitted classifier	
	Raw Material	quality cotton or rayon knitted sleeving, gauze or non-woven	
3	permitted:	fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.	
		: size including minimum (200)	
4	Size:	: size including minimum (280+-20 mm) length and 60 to 75 mm width	
		the sanitary pad shall absorb at least 90 ml of colored distilled	
5	Absorbency	water and it shall not show leakage at the bottom or sides of the	4-
	- Contracting	sanitary napkin.	
	Disposability:	: disposable pad with the covering removed, shall be	
6		immersed in 15 liters of water and stirred. The pad shall	
-		disintegrate in the water in not more than 5 minutes.	_
7	Colour	The product shall be white in colour and shall be almost	
-		odourless	
		free from acid and alkali, pH of absorbent material shall free	
i		from acid and alkali, pH of absorbent material shall	
	PH Value	be 6-8.5 (tested as per the method given in Indian Standard	
-0	rn value	1390)	
	<i>*</i>	Total viable count (total number of bacteria and fungi) shall be	
		not more than 1000 cfu/gm and absence of Staphylococcus	
	Hygiene testing	aureus. The napkin shall be tested for the presence of	
9	requirement	staphylococcus aureus in accordance with IS 5887	
		The manufacturer shall declare that all ingredients used in the	
		product are safe for human use based on its known	
10	Other:	toxicological characteristics at intended use	
		at least 90% Compostable pack, protecting package to	
11	Packaging type:	product	
12	Packaging size:	minimum 8 pads per pack	
	Biodegradability		
	or Composability	At least 90% degrade within 6 months (testing is performed and	
	requirements:	conformed from recognized and approved laboratory)	
13	requirerrierre.		

प्रमुख प्रशासकीय अधिकृत